

Coastal Women's Care

Christine A. Case, MD April G. Buckingham, PA-C 843.572.5001

Pregnancy Medication List

You can safely take these over-the-counter medications as directed on the box or bottle.

Headaches, Pain, Fever

· Acetaminophen (Tylenol)

Nausea, Vomiting

- · Emetrol
- · Dramamine
- · Eat small meals or snacks every 2 to 3 hours instead of fewer, larger, meals.

Heartburn, Indigestion, Gas

- · Maalox, Mylanta, Tums, Rolaids, Gas X
- · Pepcid AC, Zantac, Tagamet HB
- · Prilosec OTC (must be taken daily)

Diarrhea

- · Imodium, Kaopectate
- · In most cases, it is better to treat diarrhea with rest, fluids, and a clear liquid diet. Contact the office if the diarrhea persists more than 24 hours.

Constipation

- · Peri-Colace, Senekot, Dulcolax (tablets or suppositories)
- · Benefiber, Fibersure, Metamucil, Citrucel
- · Taking fiber daily will help prevent constipation and keep you regular.

Hemorrhoids

· Preparation H, Anusol, Tucks Wipes

Cough

- · Dextromethorphan (Robitussin DM, Delsym) Works as a cough suppressant
- \cdot Guaifenesin (Mucinex) Works as an expectorant, good for a productive cough

Sore Throat

- · Chloraseptic or Cepachol Lozenges
- · Warm salt water gargles

Nasal Congestion, Runny Nose, Cold Symptoms

- · Saline nasal spray
- · Alavert, Allegra, Benadryl, Claritin, Zyrtec Work best for runny noses
- · Sudafed, Tylenol cold & sinus products Work best for stuffy noses

Rash, Itch

- · Benadryl (tablets or cream)
- · Hydrocortisone cream
- · Calamine lotion

Muscle Aches

· Ben Gay, Icy Hot

Yeast Infection

· Monistat, Vagisil – Use at least a 3 day treatment. Come into the office for an evaluation if not improved after treatment.

Lice

· Rid, Nix

Additional Important Information

- · DO NOT use ibuprofen (Motrin, Advil) or naproxen sodium (Aleve).
- · DO NOT douche.
- · DO NOT use illicit drugs, smoke, or consume alcohol.
- · Avoid caffeine. It can cause dehydration.
- \cdot Exercise regularly. Labor is like a marathon train for it! Walking is a great way to do this.
- · It is safe to receive vaccinations against the flu and hepatitis B during pregnancy. You may also receive a tetanus shot or have TB testing if necessary.
- · You should continue with regular dental care during pregnancy. If you dentist requires written permission, please contact our office.
- \cdot If you are being seen by another healthcare provider make sure they know you are pregnant.

.